**PATENT** 

## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

APPLICANT: Meyers	)	
APPLICATION NO.: 09/652,927	) Examiner: Lugo	RECEIVED
FILED: October 31, 2000	) Art Unit: 3677	AUG 1 1 2003
FOR: TEE BAFFLE FOR USE AT INLET OR OUTLET OF SEPTIC AND OTHER ON-SITE WASTE	` ) }	GROUP 3600
DISPOSAL SYSTEMS	)	

## SUPPLEMENTAL AFFIDAVIT OF THEODORE W. MEYERS UNDER 37 C.F.R. §1.132

- I, Theodore W. Meyers, hereby swear as follows:
- 1. I am the founder and President of Tuf-Tite, Inc. ("Tuf-Tite"), the Assignee of United States Patent Application No. 09/652,927, entitled TEE BAFFLE FOR USE AT INLET OR OUTLET OF SEPTIC AND OTHER ON-SITE WASTE DISPOSAL SYSTEMS, and I am also the sole inventor thereof.
- 2. I have reviewed the Office Action mailed on February 7, 2003, and the prior art references on which the rejections under 35 U.S.C. § 103(a) are based.
- 3. One purpose of this Supplemental Affidavit is to explain the reasons why I believe the prior art patents cited in the rejections set forth in the Office Action are different from my invention as claimed, or that there is no suggestion or motivation to combine the references in the proposed manner, so that it may be further appreciated why those references fail to render the invention as claimed in the pending application obvious. Another purpose of this Supplemental Affidavit is to submit additional consistent evidence of secondary considerations of nonobviousness, including commercial success copying by others, which, in conjunction with the evidence of non-obviousness submitted with my November 26, 2002 Affidavit, rebuts the obviousness rejections in the Office Action mailed February 7, 2003.

- 4. I, as a person skilled in the art to which my patent application pertains, would not have been motivated to combine the elongated body of the tee in Nurse, U.S. Patent No. 5,580,453, with the tee of Zoeller, U.S. Patent No. 6,136,190, the latter as modified to have an inlet/outlet hub that has a diameter sized so as to receive a pipe of a first outer diameter and being adaptable to receive a pipe of a second outside diameter. After careful review, I find no teaching or suggestion in either Nurse or Zoeller to combine them in the manner proposed. Zoeller shows the use of an expansion piece (30) in order to extend the length of the tee. This is just as described in the background section of my patent application, where it is explained that it is typical for an installer to cut off a relatively short portion of a 10' length of commercially available PVC pipe, for example 12", and use that separate length of pipe as the needed expansion piece, with the remainder of that PVC pipe length now being less usable, and often discarded as waste. The desire to avoid such unnecessary waste is one of the factors that motivated me to conceive of the invention as-claimed in my application. Thus, Zoeller's showing of a separate expansion piece teaches people ordinarily skilled in the art in a direction away from the use of an elongated main body portion.
- 5. Had it been obvious to provide an elongated main body portion in a tee having a cylindrical uppermost hub having an inner diameter greater than a diameter of the tee's main body portion, and an inlet/outlet port with an inlet hub, then Zoeller, which was filed two and a half years after the Nurse patent issued, would have been expected to teach and use an integral elongated main body portion, instead of continuing to teach the wasteful and cumbersome use of a separate expansion piece to cover a filter received within the tee. But the Zoeller patent does not.

- 6. With respect, I disagree with the statement in the Office Action that "Morrison teaches that it is known in the art to have a tee adapted to receive a pipe of a first or second outer diameter (by using a reducer as illustrated in Figure 8)." Morrison does not teach the use of a reducer. Rather, in Figure 8, Morrison shows a ring (a<sup>6</sup>) inserted in the hub to operate as a stop for the end of a succeeding tee, i.e. to avoid the presence of a slip joint, sealed by oakum and lead, within a pipe tee. There is no teaching in Morrison of a pipe received inwardly of the ring (a<sup>6</sup>). The vertical lines in the drawing of Figure 8 represent the interior of the ring, not part of a pipe. Since the ring is used as a stop, it would be directly contrary to the purpose of the ring (a<sup>6</sup>) in Morrison to have a pipe received inwardly of the ring (a<sup>6</sup>). A pipe received within the ring (a<sup>6</sup>) would have to be sealed within the ring with some type of caulk, such as the oakum and lead described in the specification of Morrison, thus introducing a slip joint, including caulk, into soil pipe. Yet, this is exactly what Morrison expressly indicates is sought to be avoided by providing the ring (a<sup>6</sup>) in the first place.
- 7. As to claim 21 of my patent application, and those claims depending therefrom, Ramm does not disclose the use of ribs extending along an elongated main body portion as recited in the claims. For the reasons explained in ¶¶ 4, 5 above, it would not have been obvious to modify the tee of Zoeller to include the elongated body of Nurse. The bases (12) with mating surfaces (14) in Ramm, are areas of weakness of the two-piece pipe fitting shown in Ramm, as opposed to strengthening ribs. Therefore, no motivated combination of Ramm with Zoeller, Nurse, and Morrison would result in the invention as recited in claim 21.
- 8. As to claim 5 of my patent application, there is no teaching in Ramm, or any of the other references listed in the Office Action, of the use of at least one horizontal reinforcement rib on an outer wall of an elongated main body portion.

- 9. Turning to what I understand to be the so-called "secondary considerations of non-obviousness," Tuf-Tite continues to sell tees made in accordance with the claims of the subject patent application, which are sold under the trade name "T-BAFFLE," and under Tuf-Tite's product number "TB-4." Attached as Appendix A to this Supplemental Affidavit is a sales report entitled "Sales History for TB-4, T-BAFFLE FOR SEPTIC TANK," which is a true and accurate thirty-six month record of the sales volume for the T-BAFFLE tees sold by Tuf-Tite covering the time period from August 1, 2000 through July 31, 2003. During this time period, Tuf-Tite sold a total of 157,826 T-BAFFLE tees. Only a very small portion of the tees listed in Appendix A, less than 1%, were tees provided as free samples to customers. Thus, the vast majority of such listed quantities, over 99%, represent actual sales of Tuf-Tite TB-4 T-Baffle tees.
- 10. The sales volume for the twelve month period of August 1, 2000 through July 31, 2001 was 48,697 units, the sales volume for the period of August 1, 2001 through July 31, 2002 was 49,147 units, and Tuf-Tite's strongest twelve month period of sales yet for the T-Baffle was August 1, 2002 through July 31, 2003, specifically 59,982 T-Baffle tee units, including 8,710 in May, 2003, representing the largest single month yet of T-Baffle sales. Only a very small percentage of the units listed in each of these three years, less than 1%, were free samples.
- 11. Based on my some 20 years of inventive, research, development, sales, manufacturing, trade show, and marketing experience in the on-site waste disposal system component business, during which time I have personally experienced the introduction of products ranging from highly commercially successful to unsuccessful, the sales figures shown in Appendix A reflect a substantial commercial success for the T-BAFFLE tees.

- 12. Attached as Appendix B is a listing, sorted by quantity, of sales on a state-by-state basis of TB-4 T-BAFFLE tees to various states. This listing is titled "Item Sales by State Code" and is captioned "Part by State" "TB-4".
- 13. As demonstrated by the listing attached as Appendix B, in many states, such as California, Georgia, Maine, Arizona, Michigan, Ohio, and Missouri, Tuf-Tite realized rapid growth of sales of T-BAFFLE tees in the past twelve month period (under the heading "Qty Mos 1-12"), as compared with sales during each of the preceding periods. Further, the sales in those states continued to grow in each successive twelve month period. At least some of this growth is believed to be attributable to regulatory approvals finally occurring in certain counties or municipalities of such states, before which time precasters and installers of septic tanks and other on-site waste facilities that employ tees and filters were unwilling or unable to use T-BAFFLE tees in their jurisdictions.
- 14. Attached as Appendix C is a sales history listing, for customer ZIN1, which is Zabel Environmental Technology, a/k/a Zabel, Inc. ("Zabel"). This listing confirms that since the report attached as Appendix 2 to my Affidavit of November 26, 2002, Tuf-Tite still has not sent any T-BAFFLE tees to Zabel since May 18, 2001. As indicated in Appendix 2 to my original Affidavit, that May 18, 2001 shipment to Zabel was a free sample tee provided in an unsuccessful effort to re-gain Zabel's business with respect to the T-BAFFLE tee. Tuf-Tite has not sold any T-BAFFLE tees to Zabel since December 20, 2000. As indicated in Appendix C, Zabel continues to purchase various products from Tuf-Tite other than the T-BAFFLE tee.
- 15. I hereby affirm that all of the foregoing statements are true and accurate to the best of my knowledge and belief, that each of the documents appended hereto are true and accurate copies of what they purport to represent, and that I am aware any false statements may subject

me to penalties for perjury and may jeopardize the validity of any patent(s) that may issue on the present application.

August <u>6</u>, 2003

Inventor & President,

Tuf-Tite, Inc.

Subscribed and sworn to before me on this day of August, 2003

KELLY ANN SHEEHAN

KELLY ANN ORDER AND Notary Public, State of Illinois
My Commission Expires 11/13/04

Sales History for TB-4, T-BAFFLE FOR SEPTIC TANK

Printed on 08/01/03 at 16:35

•				
Pds Past	End Date		Qty Sls	
26	08/31/00		3,096	
36	09/31/00			
35 34	10/31/00		5,639 2,602	
33	11/31/00		5,981	
33 32	12/29/00		6,907	
32	01/31/01		4,145	
30	02/28/01		1,477	
29	02/28/01	REDACTED	2,601	REDACTED
28	04/30/01		3,025	
27	05/31/01		5,695	
	05/31/01			
26 - 25		•	3,634	
25	07/31/01		3,895	
Totals	(36-25)		48,697	
Avgs.	(36-25)		4,058.08	
24	08/31/01		3,729	
23	09/28/01		3,373	
22	10/31/01		3,198	
21	11/30/01		3,225	
20	12/31/01		3,216	
19	01/31/02		4,277	
18	02/28/02		3,330	
17	03/29/02		2,975	
16	04/30/02	•	4,820	
15	05/31/02		5,926	
14	06/28/02		4,522	
13	07/31/02		6,556	,
Totals	(24-13)		49,147	
Avgs.	(24-13)		4,095.58	
5	,		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
12	08/30/02		5,885	
11	09/30/02		5,107	•
10	10/31/02		6,357	
9	11/30/02		3,429	
8	12/31/02		3,453	
7	01/31/03		2,939	
6	02/28/03		3,175	
5	03/31/03		3,050	
4	04/30/03		4,847	
3	05/30/03		8,710	
2	06/30/03	•	5,285	•
1	07/31/03		7,745	
Totals	(12- 1)		59,982	
Avgs.	(12- 1)		4,998.50	

	Parts : U.S.	Part by State			
		TB4			
State:	Qty Mos 37-48	Qty Mos 25-36	Qtv Mos 13-24	Oty Mos 1-12	
CA	693	5,111	7,722	10,176	
- NC	1,958	8,203	5,542	7,192	
GA	139	70	4,804	7,181	
NJ	887	4,202	4,491	4,884	
NE	16	17	662	3,397	
ZA	2	779	1,680	2,709	
IN I	518	620	2,390	2,353	
<b>Д</b> СТ	1,555	4,141	3,122	2,276	
HI	288	793	1,724	1,984	
NH	257	1,539	1,510	1,943	
MA	397	1,977	2,289	1,917	
нон	19	476	1,246	1,907	
HD HD	360	759	1,292	1,488	
IÀ	334	1,421	1,895	1,384	
HO	18	50	989	1,227	
VT	0	812	1,577	1,145	
<b>BV</b>	106	1,321	1,322	1,142	
<b>E IN</b>	3	216	490	669	
BT	32	4	469	639	
IL	108	359	398	566	
il I D	17	9	778	495	
	15	0	1	385	
HA	69	137	58	355	
VA	73	75	130	336	

File - Edit - W	indow : Help			
Nitem Salt	s by State Code			
	Parts : US		Part by State	
		TB4		
	Qty Mos 37-48	GTY Mos. 25-36	CUTY MOSTIGEZA	317
DE	866	2,733	196	301
OR	2,885	11,211	51	361 269
KY AR	2,883	87	789	260
FL	1,037	212	518	199
BI	0	3	10	187
PA	19	93	268	159
TX	30	189	168	139
LA	10	32	56	106
RI	390	692	81	105
RY KT	1	34	163	82
NH	o	1	1	68
co	8	8	16	40
IL CO	2	21	61	29
OK	0	3	15	16
UY UY	2	1	1	15
NV	0	1	9	8
SC	1	o	6	4
TN	0	17	1	3
UT	0	0	21	1
NE	2	17	6	1
KS	0	11	4	0

						Code
Lookup			Notes		istory 🔠	Picti
ZAB	ELENVIRONMENTA		建造学			
item 🔭 🚉	CALL PROPERTY.	Control of the contractor of the control of the con	MO:37:48:	- Mo: 25≠86   2,050	Mo:13-24 4,700	3.000 3.000
SL-4	07/29/2003	4" SPEED LEVELER	600	2,000	336	400
OB06	06/12/2003 07/29/2003	6" DROP BOXOUTLET DRO 4 HOLE DISTRIBUTION BOX	60	324	485	300
HD2 HD2	06/12/2003	6 HOLE DISTRIBUTION BOX	60	180	473	200
9HD2	08/15/2002	9 HOLE DISTRIBUTION BOX	55	0	60	50
TB-4	05/18/2001	T-BAFFLE FOR SEPTIC TANK	2,881	11,161	0	0